

# Assessing Temperature Variabilities and Its Implications for Health and Livelihoods in Abuja Metropolis From 2019-2024

S.O. Okpa & G.N. Woke

Institute of Natural Resources, Environment and Sustainable Development

[g.woke@yahoo.com](mailto:g.woke@yahoo.com)

doi: <https://doi.org/10.37745/irjns.13/vol12n12550>

Published November 16, 2024

---

**Citation:** S.O. Okpa & G.N. Woke (2024) Assessing Temperature Variabilities and Its Implications for Health and Livelihoods in Abuja Metropolis From 2019-2024, *International Research Journal of Natural Sciences*, 12 (1),25-50

---

**Abstract:** *This paper is on the assessment of temperature variabilities and its implications for health and livelihoods in Abuja metropolis from 2019-2024 as well as the assessment of high temperature and coping mechanisms in Abuja metropolis. High temperature facilitates heat stress, deaths, cardiovascular diseases, mental health, asthma and risk of accidents. Cross sectional survey design techniques were deployed with questionnaire as the primary source of data. Analysis on household size of the study showed that 18.37% accounted for 0-3 households, 41.47% accounted for 4-6, while 39.64% and 0.52% accounted for 7-10 and 11 and above respectively. The result further reveals that males have 81.4% and females 18.6% in terms of sex respondents while bracket ranges from 18-25 (19.69%), 26-35 (23.62%), 31-45 (26.50%), 46-55 (17.59) and 56 above had (12.60%) respectively. Two hypotheses of the study revealed a significant effect of health risk associated with high temperature in the study area and significant effect of the strategies adopted by the residents to cushion the impact of high temperature in Abuja metropolis. Findings of the study amongst others show that the mean yearly temperature (January – December, 2019 – 2023 January- August 2024) are within WHO acceptable limit of 37°C in all the months, tall buildings within many urban areas provide multiple surfaces for the reflection and absorption of heat, stony materials absorb solar radiation and thus heat up the environment in the city, climate change causes high temperature and that high temperature causes asthma attacks, respiratory and cardiovascular health conditions. Arising from the above, the study recommended that proper implementation of environmental impact assessment of road construction and high-rise buildings should be taken seriously.*

**Keywords:** temperature variabilities, implications, health, livelihoods, Abuja metropolis

---

## INTRODUCTION

The effect of high temperature in Abuja can be particularly harmful during the day with its attendant heat wave as it deprives the residents of the cool relief found in the night. However, the effects are strongest in densely populated areas, having unseasoned greatest impact and harm to the elderly, infants, children, and people with chronic diseases (Nwaerimaet, al. 2018). Increased vehicular air emissions

Publication of the European Centre for Research Training and Development -UK

of carbon monoxide, burning of gasoline and diesel fuel by factories that emit harmful by-products of nitrogen dioxide, carbon monoxide, benzene, and formaldehyde in Abuja has become a dominant factor responsible for high temperatures arising from air traps pollutants closer to the ground which aggravates respiratory problems and health issues, increased energy consumption, rising demand for cooling systems during prolonged heat spells which translates to increased energy consumption and consequent environmental impacts. Conversely, urban high temperature resulting from urban heat islands (UHI) decreases air quality and water quality as warmer waters flow into the earth, streams and put stress on the ecosystems. Literatures have shown that structures such as buildings, roads, and other infrastructure absorb and re-emit the sun's heat more than natural landscapes such as forests and water bodies. Thus, industrialization and high-rise building structures that act as wind breakers contribute immensely to high temperature relative to outlying areas. In most of urban space in Abuja metropolis, issues of high temperature occurrence manifest when natural land cover such as scrubland, grassland, barren land, and wetlands are replaced with dense concentrations of pavement, buildings and other surfaces that absorb and retain heat. These consequently manifests in the increase of energy costs (e.g., for air conditioning), air pollution levels, heat-related illness and mortality. Akanne (2010) defined high temperature as the relative warmth of a city compared with surrounding rural areas caused by heat trapping due to land use. Amit, (2010) noted factors responsible for high temperature to include configuration and design of the built environment, street layout and building size and heat-absorbing properties of urban building. He noted that human-made building materials such as pavement and concrete reflect less sunlight and absorb more heat than natural surfaces in the study area. These urban surfaces quickly heat up during the day and slowly release heat at night, contributing to higher temperatures throughout day and night periods. The United Nations Environment Program, in its latest handbook on urban cooling published in November 2021, noted that the urban population exposed to high temperatures (i.e., average summer temperatures above 35 °C) is expected to increase by 800%, 1.6 billion by the middle of the century. Statistics have shown that South and East Asia, and the Middle-East, are highly exposed to high temperature stress hazards, and that this exposure increases by 20% to 60% with global mean temperature change from 1.5 to 3 degrees celsius.

In West Africa, and Central and South America regions, about 20 to more than 50% of the population are exposed to severe heat stress each year. For global warming of 3 degrees, European countries will also be exposed several times per year to conditions with daily mean heat stress level equal to the maximum heat stress of the 2003 heat wave. In the United State of America (USA) high temperature have resulted to 5.5% cases of carcinoma squamous cell higher for every 1°C increment in average temperatures, noting that basal cell carcinoma was 2.9 % more common with every 1°C increase. Horton (2016) reported incidences of deaths from heat waves in Europe and the severity of the 2003 event was so peculiar such that short-term mortality displacement contributed very little to the total heat wave mortality. These mortalities were at variance across Europe as France recorded more than 14,800 deaths, Belgium, Czech Republic, Germany, Italy, Portugal, Spain, Switzerland, the Netherlands and the UK all reported mortality within the range of 35,000 deaths (Ri-Yu 2016; & Nilson 2016). Extant literature has it that many populations in tropical and subtropical climates are chronically exposed to high temperatures. In mid to high latitudes, population exposure to excess heat is seasonal. Abuja in Nigeria as a tropical country, outdoor and manual workers, athletes and civil and public servants, private companies and industry employees are exposed to excess heat because of their work and are also susceptible to exceptional heat stress. The urban and rural poor are often disproportionately exposed to overheating due to low quality housing and lack of access to cooling. Due to building materials, informal settlements are often hotter than other urban areas in some parts of the metropolis. Studies

---

**Publication of the European Centre for Research Training and Development -UK**


indicated that gender can play an important role in determining heat exposure, for example where women are primarily responsible for cooking indoors during hot weather. Thus, prolong exposure to high temperature results in incidences of heat-related illnesses (e.g. heat cramps, heat syncope, heat exhaustion, heat stroke and possible death (Geof&Jim, 2012). Deaths and hospitalizations triggered by extreme hot weather occur rapidly (same day and following days), which means interventions also need to be rapid when a heat alert is issued. High temperature can also disrupt and compromise essential health services, such as the loss of power supply and transport, reduction of working productivity and increases the risk of accidents (Sanusi et, al. 2016) and it is very difficult to complete work or learning in very hot weather, high temperatures may lead schools and other institutions to close. The scale and nature of the health impacts of heat depend on the timing, intensity and duration of a heat event, and the level of acclimatization and adaptability of the local population, infrastructure and institutions to the prevailing climate. However, studies have shown that key action such as avoidance of going outside and doing strenuous activity during the hottest time of day, staying in the shade while perceived temperatures in the sun can be 10–15 °C higher, spending 2–3 hours during the day in a cool place, usage of the night air to cool down your home by opening windows after dark when the outdoor temperature is lower than the indoor temperature etc as coping mechanisms that can reduce high temperature menace.

However, majority of the studies by Meng (2014), Stewart, (2012), Srivanit & Hokao, (2013) with Karimipour (2022) concentrated on Evaluation Methods of Urban Thermal Environment, Systematic review and scientific critique of methodology in modern urban heat island, Evaluating the cooling effects of greening for improving the outdoor thermal environment at an institutional campus in the summer and Implications of Urban Design Strategies for Urban Heat Islands respectively. To the best of knowledge of the researcher, little or no work has been done on the assessment of high temperature and coping mechanism in Abuja metropolis. Against this background, the research assesses high temperature and coping mechanism in Abuja (FCT). This is to identify the coping strategies adopted by the residents in the study area as a background to highlight its implications on the rural communities' vulnerability to high temperature health risk. The research also underlines the need to identify coping strategies and mitigation measures to cushion the impacts of high temperature and how to integrate these strategies into the Government health care system development plan. It is at this backdrop that this study is focusing on assessment of high temperature and coping mechanism in Abuja metropolis. This study aimed to investigate temperature variabilities and its implications for health and livelihoods in Abuja Metropolis.

## **MATERIALS AND METHODS**

### **Study Area**

F.C.T lies between latitudes 8° 25' and 9° 25' north of the Equator and longitudes 6° 45' and 7°45' East of Greenwich Meridian, Abuja the FCT is geographically located in the centre of the country with a landmass of approximately 8000 km<sup>2</sup> of which the actual city that is, the Federal Capital City (FCC) occupies 250 km<sup>2</sup> landmass. Also, there is a divergent temperature level across the study area. Map of the study area is as shown in Figure 3.1. below



**Fig: 1 Map showing Abuja Municipality**

**Source: University of Port Harcourt Cartographic Laboratory, (2023)**

### **Method of Data Analysis**

The outcomes of the investigation of the research was analysed using tables and basic percentages. The results were analysed using descriptive and inferential statistical methods. The data was also presented in a tabular manner with explanations to provide a better understanding of the findings. Hypotheses I which state that there is no statistically significant effect in strategies adopted by the residents to cushion the impact of high temperature in Abuja metropolis was tested using Chi square statistical tool package for social sciences (IBM/SPSS) version 22 . The choice of Chi Square statistically tool was that it is

**Publication of the European Centre for Research Training and Development -UK**

used to investigate whether distributions of categorical variables differs from another. It's a measure for comparing expectations and testing relationship between categorical variables (Mmom, 2007), thus is apt for the study.

For hypothesis 2 which states that there is no statistically significant variation in high temperature across Abuja metropolis from the year (2019 -2024) was tested with ANOVA statistical package for social sciences (IBM/SPSS) version 22. The choice of ANOVA was predicated on the fact that it is a versatile and powerful statistical technique and very essential when researching multiple groups or categories. It also helps to know whether or not there was significant differences between the means of independent variable under investigation (Akuezuilo&Agu, 2002).

**Results and Discussion.**

The results of sample and sampling technique, Average monthly temperature of FCT, Mean yearly temperature ,Coping measures to solve menace of high temperature in the study area, Coping measures adopted by residents to cushion the impact of high temperature Variation in yearly temperature of FCT and Summary of ANOVA are presented in Table 1-8 and Fig 2

**Sample and Sampling Technique**

The study used the purposive sampling technique in which 60 percent of the communities in FCT were chosen for the study based on the communities with highest number of population density and temperature variations. This implies that the sample size for the study was 400 samples.as shown on Table 4 below.

**Table 1: Sampled Communities Population and Sample Size**

S/N	Community	Population	Percentage	Sample Size
1	Gwagwalada	781, 389	34.96	139.88
2	Kuje	731, 465	32.74	130.94
3	Abaji	721, 630	32.30	129.18
	Total	2,234,484	100	400

**Table 2. Average monthly temperature of FCT from Jan-Dec 2019-2023, Jan-Aug 2024 )**

	YEAR 2019 -2024					
	2019	2020	2021	2022	2023	2024
January	28.1	27	29.1	27.1	27.5	27

Publication of the European Centre for Research Training and Development -UK

February	29.5	29.2	30.1	29.9	29.9	29.8
March	31.7	31.9	30.9	32	30.2	31.8
April	31.5	30.1	31	29.6	30.3	31.2
May	29.1	29	28.8	28.3	29.2	29.1
June	27.5	27.7	27	26.7	27.3	26.9
July	26.9	26.4	25.7	26.2	27.4	26
August	26.1	26.2	26.4	25.2	26.8	25.6
September	27.1	26.1	27.4	25.6	26.9	
October	26.7	27.9	27.6	27.2	28	
November	28.1	29.2	28.9	28	28.8	
December	27.1	29.1	27.7	27.1	28	

Table 2 on the average monthly temperature of FCT from Jan-Dec 2019-2023; Jan-Aug 2024), according to the Nigerian Meteorological Agency (NiMet) Gazette, temperature across the study area in the Months of January - December 2019 was 28.1oc, 29.5oc,, 31.7oc, 31.5oc, 29.1oc, 27.5oc, 26.9oc, 26.1oc, 27.1oc, 26.7oc, 28.1oc, 27.1oc with the months of March and April having the highest at 31.7 and 31.5 respectively. From the months of January - December 2020 was 27oc, 29.2oc,, 31.9oc, 30.1oc, 29oc, 27.7oc, 26.4oc, 26.2oc, 26.1oc, 27.9oc, 29.2oc, 29.1oc with the months of March and



Publication of the European Centre for Research Training and Development -UK

April having the highest at 31.9oc, 30.1oc respectively. From the months of January - December 2021 was 29.1oc, 30.1oc,, 30.9oc, 30.1oc, 31oc, 28.8oc, 27oc, 25.7oc, 26.1oc, 27.6oc, 28.8oc, 27.7oc with the months of March and April having the highest at 30.9oc, 31oc respectively. From the months of January - December 2022 was 27.1oc, 29.9oc,, 32oc, 29.6oc, 28.3oc, 26.7oc, 26.2oc, 25.2oc, 25.6oc, 28oc, 27.2oc, 27.1oc with the months of march and April having the highest at 30.9ococ, 31oc respectively. From the months of January - December 2023 was 27.5oc, 29.9oc,, 30.2oc, 30.3oc, 29.2oc, 27.3oc, 27.4oc, 26.8oc, 26.1oc, 28oc, 28.8oc, 28oc with the months of March and April having the highest at 30.2oc, 30. 3oc respectively. Finally, from the months of January - December 2024 was 27oc, 29.8oc,, 31.8oc, 31.2oc, 28.1oc, 26.9oc, 26oc, 25.6oc with the months of March and April having the highest at 31.8oc, 31.2oc respectively.

**Table 3. Mean yearly temperature (Jan-Dec, 2019-2023, Jan-Aug 2024)**

Month	YEAR 2019 -2024							WHO Acceptable Limit	Answer Alternative
	2019	2020	2021	2022	2023	2024	Mean		
Jan	28.1	27	29.1	27.1	27.5	27	27.63	37oc	Normal
Feb	29.5	29.2	30.1	29.9	29.9	29.8	29.73	37oc	Normal
March	31.7	31.9	30.9	32	30.2	31.8	31.42	37oc	Normal
April	31.5	30.1	31	29.6	30.3	31.2	30.62	37oc	Normal
May	29.1	29	28.8	28.3	29.2	28.1	28.88	37oc	Normal
June	27.5	27.7	27	26.7	27.3	26.9	27.18	37oc	Normal

Publication of the European Centre for Research Training and Development -UK

July	26.9	26.4	25.7	26.2	27.4	26	26.43	37oc	Normal
August	26.1	26.2	26.4	25.2	26.8	25.6	26.05	37oc	Normal

Source: NiMET, 2024

According to the Nigerian Meteorological Agency (NiMet) Gazette, mean temperature across the study area in the Month of January-December 2019-2023, January- August 2024. The month of March had the highest mean temperature of 31.42oc, April 30.62oc, February has 29.73oc, January 27.63oc, July 27.4oc, June 27.18oc, while the least was August having 26.05 oc. All the mean temperatures were within WHO permissible environment temperature of 37oc with the work of Spagnolo & De Dear, (2003) that mitigation measures approaches to minimising the impact and extent of climate change includes keep people inside their homes increasing the importance of real estate decisions.

Also, 39.37% of the respondent strongly agreed that high temperatures could also lead to hospitalization, which affects health insurance, 44.62% of them agreed, 8.14% of them disagreed, while 5.25% of them strongly disagreed. This showed that majority of the respondents which amounted to 83.99% were of the opinion that high temperatures could also lead to hospitalization, which affects health insurance. This agrees with Barclay (2008) who reported that changes in temperature can affect the development and survival of malaria parasites and the mosquitoes that carry them which triggers malaria ad hospitalization. Again, it corroborates with Wandiga & Barclay (2008) study which shows that the frequency of outbreaks had been more pronounced, requiring only two months for the emergence of a malaria epidermic. that leads to hospitalization. 47.24% of the respondents strongly agreed that workers become more fatigued and generally slow down, which can cause them to make mistakes that lead to injuries or even death, 34.12% of them agreed, 10.50% of them disagreed, while 8.14% strongly disagreed.

Data analysis on High temperature has adverse effect on the productivity of the construction industry, 61.15% respondents strongly agreed, 34. 38% of the respondents agreed, 2.36% of them disagreed, while 2.10% of them strongly disagreed. Thus, it is crystal clear that majority which accounted for 95.53% were of the opinion that high temperature has adverse effect on the productivity of the construction industry. Finally, 53.81% of the respondents agreed that high temperature is a significant cause of mortality in the Abuja, metropolis, 32.28% of them agreed, 8.66% of them disagreed, while 5.23% of them strongly disagreed., This corroborates with Lindemann, (2017) study that over half of known human pathogenic diseases can be aggravated by high temperature.



**Table 4: Coping measure in the study area.****Coping measures to solve menace of high temperature in the study area.**

S/N	Answer Alternatives	SA	A	D	SD	Total
1	Use of air conditioning or fan is a measure to solve menace of high temperature in the study area.	180(47.24%)	130(34.12%)	40(10.50%)	31(8.14%)	381(100%)
2	Wearing light and loose-fitting clothing is a measure to solve menace of high temperature in the study area.	167(43.83%)	183(48.03%)	20 (5.25%)	11(2.89%)	381(100%)
3	Keeping cool is a measure to solve menace of high temperature.	140(36.75%)	121(31.76%)	50(13.12%)	70(18.37%)	381(100%)
4	Keeping skin wet is a measure to solve menace of high temperature in the study area.	231(60.63%)	121(31.76%)	19(4.99%)	10(2.62%)	381(100%)
5	Using a spray bottle or damp sponge and by taking cool showers is a measure to solve menace of high temperature in the study area.	234(61.42%)	122(32.02%)	19(4.99%)	6(1.57%)	381(100%)
6	Staying hydrated during days of extreme heat is a measure to solve menace of high temperature in the study area.	217(56.96%)	115(30.18%)	29(7.61%)	20(5.25%)	381(100%)
7	Keep drinking water before one feel thirsty, especially when outdoors or performing physical activity	219(57.48%)	114(29.92%)	30(7.87%)	18(4.72%)	381(100)




Fig 2. coping measures to solve menace of high temperature in the study area.

Source: Researcher's Fieldwork, (2024)

Table 3 above provides response to objective 2. The information reflected on the table shows respondents opinion on coping measure to solve menace of high temperature in the study area. The data shows that 47.24% of the respondents strongly agreed that the use of air conditioning or fan was a measure to solve menace of high temperature in the study area, 34.12% of the respondents agreed, 10.50% of them disagreed, while 8.14% of them strongly disagreed. This shows that 81.36% which accounted for the majority of respondents opinion was that the use of air conditioning or fan was a measure to solve menace of high temperature in the study area. This was in line with Jendritzky & Walther, (2000) that maintaining a regular sleep schedule, eating a balanced diet, staying hydrated, and taking breaks from heat exposure can also be beneficial, Likewise, Pickup & Dear, (2000) asserted that often, lack of access to cooling measures like air conditioning, makes the respondents more prone to heat stress. Furthermore, Pickup et. al.(2000) noted that worker involved in strenuous outdoor work or those lacking adequate cooling facilities which are often lower-wage jobs were at risk of increased heat exposure. 43.83% of the respondents strongly agreed that wearing light and loose-fitting clothing was a measure to solve menace of high temperature in the study area, 48.03% of them agreed, 5.25% of them disagreed, while 2.89% of them strongly disagreed. 36.75% of the respondents strongly agreed that to Keep cool was a measure to solve menace of high temperature in the study area, 31.76% of them agreed, 13.12% of them disagreed, while 18.37% of them strongly disagreed. 60.63% of the respondents strongly agreed that keeping skin wet was a measure to solve menace of high temperature in the study area, 31.76% of them agreed, 4.99% of them disagreed, while 2.62% of them strongly disagreed. 61.42% of the respondents strongly agreed that using a spray bottle or damp sponge and by taking cool showers was a measure to solve menace of high temperature in the study area, 32.02% of them agreed, 4.99% of them disagreed, while 1.57% of them strongly disagreed. 56.96% of the respondents strongly agreed that staying hydrated during days of extreme heat was a measure to solve menace of high temperature in the study area, 30.18% of them agreed, 61% of them disagreed, while 5.25% of

Publication of the European Centre for Research Training and Development -UK

them strongly disagreed. Finally, 57.48% of the respondents strongly agreed that to keep drinking water before one feels thirsty, especially if outdoors or performing physical activity is another measure . The study area. Showed that 29.92% agreed, 7.87% of disagreed, while 4.72% of them strongly disagreed.

**Table 5 Coping measures adopted by residents to cushion the impact of high temperature**

Hypothesis 1 which states that there is no statistically significant relationship in coping measures adopted by residents to cushion the impact of high temperature in the study area was tested using Chi square statistical tool package for social sciences (IBM/SPSS) version 22.

Publication of the European Centre for Research Training and Development -UK

S/N	Answer Alternatives	SA	A	D	SD	Total
1	Use of air conditioning or fan is a measure to solve menace of high temperature in the study area.	180(47.24%)	130(34.12%)	40(10.50%)	31(8.14%)	381(100%)
2	Wearing light and loose-fitting clothing is a measure to solve menace of high temperature in the study area.	167(43.83%)	183(48.03%)	20 (5.25%)	11(2.89%)	381(100%)
3	Keep cool is a measure to solve menace of high temperature.	140(36.75%)	121(31.76%)	50(13.12%)	70(18.37%)	381(100%)
4	Keeping skin wet is a measure to solve menace of high temperature in the study area.	231(60.63%)	121(31.76%)	19(4.99%)	10(2.62%)	381(100%)
5	Using a spray bottle or damp sponge and by taking cool showers is a measure to solve menace of high temperature in the study area.	234(61.42%)	122(32.02%)	19(4.99%)	6(1.57%)	381(100%)
6	Staying hydrated during days of extreme heat is a measure to solve menace of high temperature in the study area.	217(56.96%)	115(30.18%)	29(7.61%)	20(5.25%)	381(100%)
7	Keep drinking water before you feel thirsty, especially when outdoors or performing physical activity	219(57.48%)	114(29.92%)	30(7.87%)	18(4.72%)	381(100%)

Publication of the European Centre for Research Training and Development -UK

**Table 6: Summary of chi-square analysis on coping measures adopted by residents to cushion the impact of high temperature in Abuja metropolis.**

Chi-Square Tests

	Value	Df	Asymptotic Significance (2-sided)
Pearson Chi-Square	217.646a	18	.000
Likelihood Ratio	193.754	18	.000
Linear-by-Linear Association	34.503	1	.000
N of Valid Cases	2667		

**Table 7: Determine Variation in yearly temperature of FCT from Jan-Dec 2019-2023;**

**January-August, 2024**

Month	YEAR 2019 -2024					
	2019	2020	2021	2022	2023	2024
January	28.1	27	29.1	27.1	27.5	27
February	29.5	29.2	30.1	29.9	29.9	29.8
March	31.7	31.9	30.9	32	30.2	31.8
April	31.5	30.1	31	29.6	30.3	31.2
May	29.1	29	28.8	28.3	29.2	29.1

Publication of the European Centre for Research Training and Development -UK

<b>June</b>	<b>27.5</b>	<b>27.7</b>	<b>27</b>	<b>26.7</b>	<b>27.3</b>	<b>26.9</b>
<b>July</b>	<b>26.9</b>	<b>26.4</b>	<b>25.7</b>	<b>26.2</b>	<b>27.4</b>	<b>26</b>
<b>August</b>	<b>26.1</b>	<b>26.2</b>	<b>26.4</b>	<b>25.2</b>	<b>26.8</b>	<b>25.6</b>
<b>September</b>	<b>27.1</b>	<b>26.1</b>	<b>27.4</b>	<b>25.6</b>	<b>26.9</b>	
<b>October</b>	<b>26.7</b>	<b>27.9</b>	<b>27.6</b>	<b>27.2</b>	<b>28</b>	
<b>November</b>	<b>28.1</b>	<b>29.2</b>	<b>28.9</b>	<b>28</b>	<b>28.8</b>	
<b>December</b>	<b>27.1</b>	<b>29.1</b>	<b>27.7</b>	<b>27.1</b>	<b>28</b>	

**Source: NiMET, 2024**

Hypothesis 2 which states that there is no statistically significant variation in temperature from the year 2019-2024 across Abuja metropolis was tested using Analysis of Variance (ANOVA) statistical tool package for social sciences (IBM/SPSS) version 22

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	3.877	5	.775	.234	.946
Within Groups	205.433	62	3.313		
Total	209.310	67			



**Table 8: Summary of ANOVA computation on Yearly temperature of FCT from Jan-Dec 2019-2023; Jan-Aug, 2024**

Table 6 showed that the calculated F-value for group is .234 at degrees of freedom of 5 and 62 at  $p < 0.05$ . The calculated F-value was significant at  $p < 0.05$  which is less than 0.05 level of probability ( $F = .234$ ,  $df = 5/62$ ,  $p > 0.05$ ). The alternate hypothesis is therefore accepted. This showed that there is a statistical significant variation of yealy temperature from Jan-Dec 2019-2023; Jan-August, 2024 across Abuja metropolis.

**Summary and conclusion**

This study assessed high temperature and coping mechanisms in Abuja metropolis, Nigeria. To achieve this aim, the study ascertained the causes of high temperature and the impacts of high temperature on socio-economic activities in Abuja metropolis, determined the health risk associated with high temperature in Abuja metropolis, verified the most vulnerable to high temperature and geographical locations in Abuja metropolis and identify coping and mitigation measures to solve menace of high temperature in the study area. The study theoretical framework anchored on Carbon Dioxide theory of Climate Change and Green House theory. The study adopted cross sectional survey design techniques with questionnaire as the primary source of data. The study data were analyzed using descriptive statistics. The aim of the study was to assess high temperature and coping mechanism in Abuja metropolis. The study concludes that the elderly, infants, pregnant women, workers and farmers are most vulnerable to high temperature in the study area. The study also asserted that high temperature causes mean economic losses, keep people inside their homes, can also lead to hospitalization, which affects health insurance, workers become more fatigued and generally slows down man hour input, which can cause mistakes that lead to injuries or even death, Mortality index from high temperature in Abuja metropolis will continue to rise if conditions don't change. The study also highlighted that health risk associated with High Temperature in the study area includes hyperthermia, asthma attacks, respiratory and cardiovascular health conditions, cholera, meningitis and pneumonia.

**REFERENCES**

- Abbot, C. G., & Fowle, L. E. (1908). *Anir. ,+lsrrop/!~i*. Smithsonian Institution, Washington Obs., 2, 122, 172–173.
- Abdalla, E. B., Johnson, H. D., & Kotby, E. A. (1991). Hormonal adjustments during heat exposure in pregnant and lactating ewes. *Journal of Dairy Science*, 74, 145 (Abstract).
- Abe, M., & Abe, H. (2019). Lifestyle medicine—an evidence-based approach to nutrition, sleep, physical activity, and stress management on health and chronic illness. *Personalized Medicine Universe*, 8, 3–9. <https://doi.org/10.1016/j.pmu.2019.05.002>
- Abreu-Harbach, L. V., Labaki, L. C., & Matzarakis, A. (2015). Effect of tree planting design and tree species on human thermal comfort in the tropics. *Landscape and Urban Planning*, 138, 99–109
- Acero, J. A., & Herranz-Pascual, K. (2015). A comparison of thermal comfort conditions in four urban spaces by means of measurements and modeling techniques. *Building and Environment*, 93, 245–257. .

Publication of the European Centre for Research Training and Development -UK

- Aguglia, A., Serafini, G., Escelsior, A., Canepa, G., Amore, M., & Maina, G. (2019). Maximum temperature and solar radiation as predictors of bipolar patient admission in an emergency psychiatric ward. *International Journal of Environmental Research and Public Health*, 16, 1140. <https://doi.org/10.3390/ijerph16071140>
- Ahuya, C. O., Okeyo, A. M., Mosi, R. O., Murithi, F. M., & Matiri, F. M. (2020). Body weight and pre-weaning growth rate of pure indigenous, Toggenburg goat breeds and their crosses under smallholder production systems in Kenya. In *Proceedings of the International Conference on Responding to the Increasing Global Demand for Animal Products*, Merida, Mexico, November 12–15 (pp. 85–86).
- Ali, J. M., Marsh, S. H., & Smith, M. J. (2016). Modelling the spatiotemporal change of canopy urban heat islands. *Building and Environment*, 107, 64–78.
- Alia, H. H., Sakamoto, A., & Murata, M. (1998). Enhancement of the tolerance of *Arabidopsis* to high temperatures by genetic engineering of the synthesis of glycinebetaine. *The Plant Journal*, 16, 155–161.
- Almeselmani, M., Deshmukh, P. S., & Chinnusamy, V. (2012). Effects of prolonged high temperature stress on respiration, photosynthesis and gene expression in wheat (*Triticum aestivum*) varieties differing in their thermotolerance. *Plant Stress*, 1, 25–32.
- Alonso-Ramírez, A., Rodríguez, D., Reyes, D., Jiménez, J. A., Nicolás, G., López-Climent, M., Gómez-Cadenas, A., & Nicolás, C. (2009). Evidence for a role of gibberellins in salicylic acid-modulated early plant responses to abiotic stress in *Arabidopsis* seeds. *Plant Physiology*, 150, 1335–1340.
- Alscher, R. G., Erturk, N., & Heath, L. S. (2002). Role of superoxide dismutases (SODs) in controlling oxidative stress in plants. *Journal of Experimental Botany*, 53, 1331–1341.
- Alvarez, M. B., & Johnson, H. D. (1973). Environmental heat exposure on cattle plasma catecholamine and glucocorticoids. *Journal of Dairy Science*, 5, 186–194.
- Amodu, M., Ansah, E. W., Sarfo, J. O., & Hormenu, T. (2023). Impact of climate change and heat stress on workers' health and productivity: A scoping review. *Journal of Climate Change and Health*, 12, 100249. <https://doi.org/10.1016/j.joclim.2023.100249>
- Angiulli, E., Pagliara, V., & Cioni, C. (2020). Increase in environmental temperature affects exploratory behaviour, anxiety and social preference in *Danio rerio*. *Scientific Reports*, 10, 5385. <https://doi.org/10.1038/s41598-020-62331-1>
- Angstrom, K. (1900). Ueber die Bedeutung des Wasserdampfes und der Kohlensäure bei der Absorption der Erdatmosphäre. *Annalen der Physik*, 4, 72–733.
- Angstrom, K. (1901). Ueber die Abhängigkeit der Absorption der Gase, besonders der Kohlensäure, von der Dichte. *Annalen der Physik*, 5, 163–173.
- Archibald, I. (1901). *The Story of Health's Universe*. Appleton & Co., New York, pp. 12–37, 100–106.
- Arnison, P. G., Donaldson, P., Jackson, A., Semple, C., & Keller, W. (1990). Genotype specific response of cultured broccoli (*Brassica oleracea* var. *italica*) anthers to cytokinins. *Plant Cell, Tissue and Organ Culture*, 20, 217–222.
- Arrhenius, S. A. (1896). On the influence of carbonic acid upon the temperature of the ground. London, Edinburgh, and Dublin Philosophical Magazine, 5th Ser., 41, 237–276.
- Asada, K. (2000). The water–water cycle as alternative photon and electron sinks. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 355, 1419–1430.
- Atta, M.A.A., Marai, I.F.M., El-Darawany, A.A.M. and El-Masry, K.A., (2014). Adaptability of bovine calves under subtropical environment. *Zagazig Journal of Agriculture Research*, 41 No. (4), 793-802
- Bach V, Libert J-P. Hyperthermia and heat stress as risk factors for sudden infant death syndrome: a narrative review. *Front Pediatr.* (2022);10:816136. [10.3389/fped.2022.816136](https://doi.org/10.3389/fped.2022.816136)

Publication of the European Centre for Research Training and Development -UK

- Cheng, Y., Niu, J., & Gao, N. (2012). Thermal comfort models: A review and numerical investigation. *Building and Environment*, 47, 13–22. <https://doi.org/10.1016/j.buildenv.2011.06.008> .
- Chiddaycha, M., & Wainipitapong, S. (2021). Mental health among Thai medical students: Preadmission evaluation and service utilization. *Health Science Reports*, 4(4), e416. <https://doi.org/10.1002/hsr2.416>
- China Meteorological Administration. (2022). What is a heat wave? Retrieved March 22, 2022, from [http://www.cma.gov.cn/2011qxfw/2011qqxkp/2011qkpd/201110/t20111026\\_124192.html](http://www.cma.gov.cn/2011qxfw/2011qqxkp/2011qkpd/201110/t20111026_124192.html)
- Christison, G. I., & Johnson, H. D. (1972). Cortisol turnover in heat-stressed cows. *Journal of Animal Science*, 53, 1005–1010.
- Christopherson, R. J., Thompson, J. R., Hammond, V. A., & Hills, G. A. (1978). Effect of thyroid on plasma adrenaline and noradrenaline concentrations in sheep during acute and chronic cold exposure. *Canadian Journal of Pharmacology*, 59, 490–494.
- Church, J. A. (2001). Changes in sea level. In J. T. Houghton et al. (Eds.), *Climate Change 2001: The scientific basis* (pp. 639–694). Cambridge University Press.
- Cianconi, P., Betrò, S., & Janiri, L. (2020). The impact of climate change on mental health: A systematic descriptive review. *Frontiers in Psychiatry*, 11, 74. <https://doi.org/10.3389/fpsy.2020.00074> [PMC free article] [PubMed] [CrossRef] [Google Scholar]
- Clarke, F. W. (1924). *The dutuufgeochetniczg* (1st ed.). United States Geological Service Bulletin 770, United States Department of the Interior, Washington.
- Clayton, S. (2020). Climate anxiety: Psychological responses to climate change. *Journal of Anxiety Disorders*, 74, 102263. <https://doi.org/10.1016/j.janxdis.2020.102263>
- Clemente, F. M., Conte, D., Sanches, R., Moleiro, C. F., Gomes, M., & Lima, R. (2019). Anthropometry and fitness profile, and their relationships with technical performance and perceived effort during small-sided basketball games. *Research in Sports Medicine*, 27, 452–466. <https://doi.org/10.1080/15438627.2018.1546704>
- Coates, S. J., Enbiale, W., Davis, M. D. P., & Andersen, L. K. (2020). The effects of climate change on human health in Africa: A dermatologic perspective: A report from the International Society of Dermatology Climate Change Committee. *International Journal of Dermatology*, 59, 265–278. <https://doi.org/10.1111/ijd.14759>
- Couée, I., Sulmon, C., Gouesbet, G., & Amrani, A. E. (2006). Involvement of soluble sugars in reactive oxygen species balance and responses to oxidative stress in plants. *Journal of Experimental Botany*, 57, 449–459.
- Crafts-Brandner, S. J., & Law, R. D. (2000). Effect of heat stress on the inhibition and recovery of ribulose-1,5-bisphosphate carboxylase/oxygenase activation state. *Planta*, 212, 67–74.
- Crafts-Brandner, S. J., & Salvucci, M. E. (2000). Rubisco activase constrains the photosynthetic potential of leaves at high temperature and CO<sub>2</sub>. *Proceedings of the National Academy of Sciences USA*, 97, 13430–13435. <https://doi.org/10.1073/pnas.240461797>
- Crandon, T. J., Dey, C., Scott, J. G., Thomas, H. J., & Ali, S. (2022). The clinical implications of climate change for mental health. *Nature Human Behaviour*, 6, 1474–1481. <https://doi.org/10.1038/s41562-022-01477-6>
- Crandon, T. J., Scott, J. G., Charlson, F. J., & Thomas, H. J. (2022). A social–ecological perspective on climate anxiety in children and adolescents. *Nature Climate Change*, 12, 123–131. <https://doi.org/10.1038/s41558-021-01251-y> [
- Dado-Senn, B., Vega Acosta, L., Torres Rivera, M., et al. (2022). Pre- and postnatal heat stress abatement affects dairy calf thermoregulation and performance. *Journal of Dairy Science* 2020;103:4822-4837. [10.3168/jds.2019-17926](https://doi.org/10.3168/jds.2019-17926)
- Dang, T. N., Vy, N. T. T., Thuong, D. H. T., Phung, D., Van Dung, D., & Le An, P. (2022). Main and added effects of heatwaves on hospitalizations for mental and behavioral disorders in a tropical

Publication of the European Centre for Research Training and Development -UK

- megacity of Vietnam. *Environmental Science and Pollution Research*, 29, 59094–59103. <https://doi.org/10.1007/s11356-022-19898-1>
- Eady, A., Dreyer, B., Hey, B., Riemer, M., & Wilson, A. (2020). Reducing the risks of extreme heat for seniors: Communicating risks and building resilience. *Health Promotion and Chronic Disease Prevention in Canada*, 40, 215–224. <https://doi.org/10.24095/hpcdp.40.7/8.01> [PMC free article] [PubMed]
- Easterling, W. E., Aggarwal, P. K., Batima, P., Brander, K. M., Erda, L., Howden, S. M., & Kirilenko, A. (2007). Food, fibre and forest products. In *Climate Change 2007: Impacts, Adaptation and Vulnerability* (pp. 273–313). Cambridge University Press.
- Ebi, K. L., Capon, A., Berry, P., et al. (2021). Hot weather and heat extremes: Health risks. *The Lancet*, 398, 698–708. [https://doi.org/10.1016/S0140-6736\(21\)01208-3](https://doi.org/10.1016/S0140-6736(21)01208-3)
- Eckhardt, N. A., & Portis, A. R., Jr. (1997). Heat denaturation profiles of ribulose-1,5-bisphosphate carboxylase/oxygenase (Rubisco) and Rubisco activase and the inability of Rubisco activase to restore activity of heat-denatured Rubisco. *Plant Physiology*, 113, 243–248. <https://doi.org/10.1104/pp.113.1.243>
- Eckhardt, N. A., Snyder, G. W., Portis, A. R., Jr., & Ogren, W. L. (1997). Growth and photosynthesis under high and low irradiance of *Arabidopsis thaliana* antisense mutants with reduced ribulose-1,5-bisphosphate carboxylase/oxygenase activase content. *Plant Physiology*, 113, 575–586. <https://doi.org/10.1104/pp.113.2.575>
- Effenberger, E. (1951). Mefirmethodenzur Bestimmung des CO<sub>2</sub>-Gehaltes der Atmosphäre und die Bedeutung derartiger Messungen für die Biometeorologie und Meteorologie. *Annalen der Meteorologie*, 4, 417–427.
- Ekholm, N. (1901). On the variations of the climate of the geological and historical past and their causes. *Quarterly Journal of the Geological Society*.
- El-Fouly, H. A., & Kamal, T. H. (1979). Effect of short-term heat exposure on urinary allantoin-N in Friesian calves. *World Review of Animal Production*, 15, 61–64.
- El-Fouly, H. A., El-Masry, K. A., & Gamal, M. H. (1998). Physiological studies related to some reproductive traits in Baladi cows. 2. Effect of calves' sex on some reproductive traits of Baladi cows and growth performance of their Baladi and crossbred (Brown Swiss x Baladi) calves. *Zagazig Veterinary Journal*, 26(3), 69–78.
- Ellis, B. H., Abdi, S. M., & Winer, J. P. (2020). Mental health practice with immigrant and refugee youth: A socioecological framework. *American Psychological Association*. <https://doi.org/10.1037/0000163-000>
- El-Masry, K. A., Nessim, M. Z., & Gad, A. E. (2010). Determination of heat tolerance coefficient in crossbred and Baladi pregnant cows under Egyptian environmental conditions. *Journal of Radioisotopes Research and Application Science*, 3(4B), 1399–1409.
- El-Tarabany, M. S., & El-Tarabany, A. A. (2015). Impact of thermal stress on the efficiency of ovulation synchronization protocols in Holstein cows. *Animal Reproduction Science*, 160, 138–145. <https://doi.org/10.1016/j.anireprosci.2015.06.008>
- Emmanuel, R. (2012). *An urban approach to climate sensitive design: Strategies for the tropics*. Taylor & Francis.
- Enami, I., Kitamura, M., Tomo, T., Isokawa, Y., Ohta, H., & Katoh, S. (1994). Is the primary cause of thermal inactivation of oxygen evolution in spinach PSII membranes the release of the extrinsic 33 kDa protein or of Mn? *Biochimica et Biophysica Acta*, 1186, 52–58. [https://doi.org/10.1016/0005-2728\(94\)90121-4](https://doi.org/10.1016/0005-2728(94)90121-4)
- Erasmus, L. J., Botha, P. M., & Kistner, A. (1992). Effect of yeast culture supplement on production, rumen fermentation, and duodenal nitrogen flow in dairy cows. *Journal of Dairy Science*, 75, 3056–3065. [https://doi.org/10.3168/jds.S0022-0302\(92\)77996-2](https://doi.org/10.3168/jds.S0022-0302(92)77996-2)



Publication of the European Centre for Research Training and Development -UK

- Esfandiari, E., Shekari, F., Shekari, F., & Esfandiari, M. (2007). The effect of salt stress on antioxidant enzymes activity and lipid peroxidation on the wheat seedling. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 35, 48–56. <https://doi.org/10.15835/nbha3527903>
- Fan, X., Liu, W., & Wargocki, P. (2019). Physiological and psychological reactions of sub-tropically acclimatized subjects exposed to different indoor temperatures at a relative humidity of 70%. *Indoor Air*, 29, 215–230. <https://doi.org/10.1111/ina.12523>
- Fan, X., Shao, H., Sakamoto, M., et al. (2022). The effects of ventilation and temperature on sleep quality and next-day work performance: Pilot measurements in a climate chamber. *Building and Environment*, 209, 108666. <https://doi.org/10.1016/j.buildenv.2021.108666>
- FAO. (2011). Rice market monitor. <http://www.fao.org/economic/est/publications/ricepublications>.
- Farooq, U., Samad, H. A., Shehzad, F., & Qayyum, A. (2010). Physiological responses of cattle to heat stress. *World Applied Sciences Journal*, 8, 38–43. <https://doi.org/10.5829/idosi.wasj.2010.8.01.2133>
- Fatima, E. (2022). Impact of climate change on individual and community mental health. *Journal of Development Policy and Practice*, 6, 85–103. <https://doi.org/10.59926/jodprp.vol06/06>
- Fatur, K., & Kreft, S. (2020). Common anticholinergic solanaceous plants of temperate Europe: A review of intoxications from the literature (1966–2018). *Toxicon*, 177, 52–88. <https://doi.org/10.1016/j.toxicon.2020.02.005>
- Feder, M. E. (2006). Integrative biology of stress: Molecular actors, the ecological theater, and the evolutionary play. In *International Symposium on Environmental Factors, Cellular Stress and Evolution*, Varanasi, India, October 13–15.
- Ferreira, R. M., Ayres, H., Chiaratti, M. R., Ferraz, M. L., Araújo, A. B., Rodrigues, C. A., Watanabe, Y. F., Vireque, A. A., Joaquim, D. C., Smith, L. C., Meirelles, F. V., & Baruselli, P. S. (2011). The low fertility of repeat-breeder cows during summer heat stress is related to a low oocyte competence to develop into blastocysts. *Journal of Dairy Science*, 94, 2383–2392. <https://doi.org/10.3168/jds.2010-3891>
- Firon, N., Peet, M. M., Pharr, D. M., Zamski, E., Rosenfeld, K., Althan, L., & Pressman, E. (2006). Pollen grains of heat-tolerant tomato cultivars retain higher carbohydrate concentration under heat stress conditions. *Scientia Horticulturae*, 109, 212–217. <https://doi.org/10.1016/j.scienta.2006.03.017>
- Flamenbaum, I., & Galon, N. (2010). Management of heat stress to improve fertility in dairy cows in Israel. *Journal of Reproduction and Development*, 56, S36–41. <https://doi.org/10.1262/jrd.1056s36>
- Fleming, J. R. (1998). *Historical perspectives on climate change*. Oxford University Press.
- Fourier, J. (1827). Mémoire sur les températures du globe terrestre et des espaces planétaires. *Mémoires de l'Académie Royale des Sciences*, 1, 569–604.
- Foyer, C. H., Descourvieres, P., & Kunert, K. J. (1994). Protection against oxygen radicals: An important defence mechanism studied in transgenic plants. *Plant Cell and Environment*, 17, 507–523. <https://doi.org/10.1111/j.1365-3040.1994.tb00215.x>
- Foyer, C. H., Kingston-Smith, A. H., Harbinson, J., Arisi, A. C. M., Jouanin, L., & Noctor, G. (1998). The use of transformed plants in the assessment of physiological stress responses. In *Plant Stress: Theories and Methods* (pp. 189–207). Springer.
- Gaafar, H. M. A., El-Nahrawy, M. M., Mesbah, R. A., Shams, A. S., Sayed, S. K., & Anas, A. A. B. (2021). Impact of heat stress on growth performance and some blood and physiological parameters of suckling Friesian calves in Egypt. *International Journal of Plant, Animal and Environmental Sciences*, 11(3), 545–565.
- Gago, E. J., Roldan, J., Pacheco-Torres, R., & Ordóñez, J. (2013). The city and urban heat islands: A review of strategies to mitigate adverse effects. *Renewable and Sustainable Energy Reviews*, 25, 749–758. <https://doi.org/10.1016/j.rser.2013.05.016>

Publication of the European Centre for Research Training and Development -UK

- Gantner, V., Mijic, P., Kuterovac, K., Soli, D., & Gantner, R. (2011). Temperature-humidity index values and their significance on the daily production of dairy cattle. *Mljekarstvo*, 61(1), 56–63.
- Gartland, L. (2008). *Heat islands: Understanding and mitigating heat in urban areas (Version 1)*. Routledge. London, UK, 2008
- Gartland, L. (2010). *Heat islands: Understanding and mitigating heat in urban areas (Version 2)*. Routledge. London, UK, 2010
- Gendelman, M., Aroyo, A., Yavin, S., & Roth, Z. (2010). Seasonal effects on gene expression, cleavage timing, and developmental competence of bovine preimplantation embryos. *Reproduction*, 140, 73–82. <https://doi.org/10.1530/REP-09-0207>
- Geneva II, Cuzzo, B., Fazili, T., & Javaid, W. (2019). Normal body temperature: A systematic review. *Open Forum Infectious Diseases*, 6, ofz032. <https://doi.org/10.1093/ofid/ofz032>.
- Gesch, R. W., Kang, I. H., Gallo-Meagher, M., Vu, J. C. V., Boote, K. J., Allen, L. H., & Bowes, J. E. (2003). Rubisco expression in rice leaves is related to genotypic variation of photosynthesis under elevated growth CO<sub>2</sub> and temperature. *Plant, Cell & Environment*, 26, 1941–1950. <https://doi.org/10.1046/j.1365-3040.2003.01106.x>
- Gill, S., & Tuteja, N. (2010). Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants. *Plant Physiology and Biochemistry*, 48, 909–930. <https://doi.org/10.1016/j.plaphy.2010.08.005>
- Gluckauf, W. (1944). Carbon dioxide content of atmospheric air. *Nature*, 153, 620–621. <https://doi.org/10.1038/153620a0>
- González-Tokman, D., Córdoba-Aguilar, A., Dáttilo, W., Lira-Noriega, A., Sánchez-Guillén, R. A., & Villalobos, F. (2020). Insect responses to heat: Physiological mechanisms, evolution, and ecological implications in a warming world. *Biological Reviews*, 95, 802–821. <https://doi.org/10.1111/brv.12588>]
- Grover, A., Agarwal, M., Katiyar-Agarwal, S., Sahi, C., & Agarwal, S. (2000). Production of high-temperature-tolerant transgenic plants through manipulation of membrane lipids. *Current Science*, 79, 557–559.
- Gulyás, Á., Unger, J., & Matzarakis, A. (2006). Assessment of the microclimatic and human comfort conditions in a complex urban environment: Modelling and measurements. *Building and Environment*, 41, 1713–1722. <https://doi.org/10.1016/j.buildenv.2006.05.015>
- Gunawardena, K. R., Wells, M. J., & Kershaw, T. (2017). Utilizing green and blue space to mitigate urban heat island intensity. *Science of the Total Environment*, 584, 1040–1055. <https://doi.org/10.1016/j.scitotenv.2017.01.141>.
- Guoliang, L. (2010). The key technologies and systems of urban heat island mitigation on urban scales based GIS platform. Zhejiang University.
- Habeeb, A. A. M., El-Masry, K. A., & Gad, A. E. (2020a). Changes in body water and solids contents in native and crossbreed growing calves during winter and hot summer seasons of Egypt. *Journal of Animal Behavior and Biometeorology*, 8(1), 17–24. <https://doi.org/10.31893/jabb.20002>
- Habeeb, A. A. M., El-Masry, K. A., Abounaga, A. I., & Kamal, T. H. (1996). The effect of hot summer climate and level of milk yield on blood biochemistry and circulating thyroid and progesterone hormones in Friesian cows. *Arab Journal of Nuclear Sciences and Applications*, 29, 161–173.
- Havaux, M. (1998). Carotenoids as membrane stabilizers in chloroplasts. *Trends in Plant Science*, 3, 147–151.
- Haynes, A., Nathan, A., Maitland, C., et al. (2022). Prevalence and correlates of observed sun protection behaviors across different public outdoor settings in Melbourne, Australia. *Health Education & Behavior*, 49, 405–414. <https://doi.org/10.1177/10901981211026535>
- He, B.-J., Wang, J., Liu, H., & Ulpiani, G. (2021). Localized synergies between heat waves and urban heat islands: Implications on human thermal comfort and urban heat management. *Environmental Research*, 193, Article 110584. <https://doi.org/10.1016/j.envres.2021.110584>.



Publication of the European Centre for Research Training and Development -UK

- He, B.-J., Zhao, D., Dong, X., et al. (2022). Perception, physiological and psychological impacts, adaptive awareness and knowledge, and climate justice under urban heat: A study in extremely hot-humid Chongqing, China. *Sustainable Cities and Society*, 79, Article 103685. <https://doi.org/10.1016/j.scs.2022.103685>
- Heine, H. (1882). Ueber die Absorption der K'ijrnt durch Gase, und deren Beziehung zur Bestimmung des Kohlensäuregehalters der Atmosphäre. Thesis, Giessen. (Cited in Keeler, 1884).
- Heracleous, C., & Michael, A. (2019). Experimental assessment of the impact of natural ventilation on indoor air quality and thermal comfort conditions of educational buildings in the Eastern Mediterranean region during the heating period. *Journal of Building Engineering*, 26, Article 100917. <https://doi.org/10.1016/j.job.2019.100917>
- Herrmann, B., Harder, L., Oelkrug, R., et al. (2020). Central hypothyroidism impairs heart rate stability and prevents thyroid hormone-induced cardiac hypertrophy and pyrexia. *Thyroid*, 30, 1205–1216. <https://doi.org/10.1089/thy.2019.0705>
- Hogbom, A. G. (1894). Der Kohlensäuregehalt der Luft. *Chemische Centralblatt*, 5, 452–453.
- Höppe, P. (1999). The physiological equivalent temperature—A universal index for the biometeorological assessment of the thermal environment. *International Journal of Biometeorology*, 43, 71–75. <https://doi.org/10.1007/s004840050118> [
- Horton, P. (2002). Crop improvement through alteration in the photosynthetic membrane. ISB News Report. Virginia Tech, Blacksburg, VA.
- Houghton, J. T., Collander, B. A., & Ephraums, J. J. (Eds.). (1990). *Climate change – The IPCC scientific assessment*. Cambridge University Press.
- Howarth, C. J. (2005). Genetic improvements of tolerance to high temperature. Howarth Press Inc.
- Hsieh, C. M., & Huang, H. C. (2016). Mitigating urban heat islands: A method to identify potential wind corridors for cooling and ventilation. *Computers, Environment and Urban Systems*, 57, 130–143. <https://doi.org/10.1016/j.compenvurbsys.2016.03.001>
- Hsieh, C. M., Chen, H., Ooka, R., Yoon, J., Kato, S., & Miisho, K. (2010). Simulation analysis of site design and layout planning to mitigate the thermal environment of riverside residential development. In *Building Simulation (Vol. 3, pp. 51–61)*. Tsinghua Press
- Hu, J., He, G., Meng, R., et al. (2023). Temperature-related mortality in China from specific injury. *Nature Communications*, 14, Article 37. <https://doi.org/10.1038/s41467-022-35462-4>
- Hua, Y., Qiu, Y., & Tan, X. (2023). The effects of temperature on mental health: Evidence from China. *Journal of Population Economi*
- Huang, H., & An, Z. (2021). Study on heatwave disaster prevention and control planning system—Enlightenment of major countries in the world. *IOP Conference Series: Earth and Environmental Science*, 696, Article 012025. <https://doi.org/10.1088/1755-1315/696/1/012025>.
- Huntington, E., & Visher, S. S. (1922). *Climatic Change Research*. Yale University Press.
- Huynen, M. M., Martens, P., Schram, D., Weijenberg, M. P., & Kunst, A. E. (2001). The impact of heat waves and cold spells on mortality rates in the Dutch population. *Environmental Health Perspectives*, 109, 463–470. <https://doi.org/10.1289/ehp.01109>.
- Hwang, R. L., & Lin, T. P. (2007). Thermal comfort requirements for occupants of semi-outdoor and outdoor environments in hot-humid regions. *Architectural Science Review*, 50, 357–364. <https://doi.org/10.3763/asre.2007.5015>
- Igono, M. O., Steevens, B. J., Shanklin, M. D., & Johnson, H. D. (1985). Spray cooling effects on milk production, milk, and rectal temperatures of cows during a moderate temperature summer season. *Journal of Dairy Science*, 68, 979–985. [https://doi.org/10.3168/jds.S0022-0302\(85\)81012-0](https://doi.org/10.3168/jds.S0022-0302(85)81012-0)
- Imran, H. M., Hossain, A., Islam, A. K. M., Rahman, A., Bhuiyan, M. A. E., Paul, S., & Alam, A. (2021). Impact of land cover changes on land surface temperature and human thermal comfort

Publication of the European Centre for Research Training and Development -UK

- in Dhaka City of Bangladesh. *Earth Systems and Environment*, 5, 667–693. <https://doi.org/10.1007/s41748-021-00256-1>
- Inostroza, L., Palme, M., & de la Barrera, F. (2016). A heat vulnerability index: Spatial patterns of exposure, sensitivity, and adaptive capacity for Santiago de Chile. *PLoS ONE*, 11, Article e0162464. <https://doi.org/10.1371/journal.pone.0162464>.
- International Commission for Thermal Physiology (ICTP). (2001). Glossary of terms for thermal physiology (3rd ed.). *The Japanese Journal of Physiology*, 51, 245–280. <https://doi.org/10.2170/jjphysiol.51.245>
- Ioannou, L. G., Tsoutsoubi, L., Mantzios, K., et al. (2021). The impacts of sun exposure on worker physiology and cognition: Multi-country evidence and interventions. *International Journal of Environmental Research and Public Health*, 18, Article 7698. <https://doi.org/10.3390/ijerph18147698>
- IPCC. (2007). *Climate change 2007: Impacts, adaptation, and vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the IPCC.* IPCC.
- IPCC. (2007). *Climate change 2007: The physical science basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change.* Cambridge University Press.
- IPCC. (2013). Summary for policymakers. In T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, & P. M. Midgley (Eds.), *Climate change 2013: The physical science basis.* Cambridge University Press.
- Irwin, M. R. (2023). Sleep disruption induces activation of inflammation and heightens risk for infectious disease: Role of impairments in thermoregulation and elevated ambient temperature. *Temperature*, 10, 198–234. <https://doi.org/10.1080/23328940.2022.2109932>
- Jaleel, C. A., Gopi, R., Manivannan, P., & Panneerselvam, R. (2007). Antioxidative potentials as a protective mechanism in *Catharanthus roseus* (L.) plants under salinity stress. *Turkish Journal of Botany*, 31, 245–251.
- Jay, O., Capon, A., Berry, P., et al. (2021). Reducing the health effects of hot weather and heat extremes: From personal cooling strategies to green cities. *The Lancet*, 398, 709–724. [https://doi.org/10.1016/S0140-6736\(21\)01209-5](https://doi.org/10.1016/S0140-6736(21)01209-5)
- McMichael, A. J., Ando, M., Carcavallo, R., Epstein, P., Haines, A., Jendritsky, G., Kalkstein, L., Kovats, S., Odongo, R., & Patz, J. (1996). *Climate change and human health: An assessment by a task group on behalf of the World Health Organization, the World Meteorological Organization, and the United Nations Environment Program (WHO/EHG/96.7).* Environmental Science, Population and Development Review Council, 22(4), 806. <https://doi.org/10.2307/2137826>
- Meade, R. D., Akerman, A. P., Notley, S. R., et al. (2020). Physiological factors characterizing heat-vulnerable older adults: A narrative review. *Environment International*, 144, 105909. <https://doi.org/10.1016/j.envint.2020.105909>
- Menegatos, J., Goulas, C., & Kalogiannis, D. (2006). The productivity, ovarian and thyroid activity of ewes in an accelerated lambing system in Greece. *Journal of Small Ruminant Research*, 65, 209–216. <https://doi.org/10.1016/j.smallrumres.2005.09.003>
- Meng, Q.-L., Wang, P., & Li, Q. (2014). Evaluation methods of urban thermal environment. *Chinese Landscape Architecture*, 30, 13–16.
- Millyard, A., Layden, J. D., Pyne, D. B., Edwards, A. M., & Bloxham, S. R. (2020). Impairments to thermoregulation in the elderly during heat exposure events. *Gerontology & Geriatric Medicine*, 6, Article 2333721420932432. <https://doi.org/10.1177/2333721420932432>
- Mittler, R. (2002). Oxidative stress, antioxidants and stress tolerance. *Trends in Plant Science*, 7, 405–410. [https://doi.org/10.1016/S1360-1385\(02\)02312-9](https://doi.org/10.1016/S1360-1385(02)02312-9)

Publication of the European Centre for Research Training and Development -UK

- Mittler, R., Vanderauwera, S., Gollery, M., & Van Breusegem, F. (2004). Reactive oxygen gene network of plants. *Trends in Plant Science*, 9, 490–498. <https://doi.org/10.1016/j.tplants.2004.08.009>
- Mohan, J. R., Burke, J., & Orzech, K. (1990). Thermal dependence of the apparent Km of glutathione reductases from three plant species. *Plant Physiology*, 93, 822–824. <https://doi.org/10.1104/pp.93.2.822>
- Molee, A., Bundasak, B., Petladda, K., & Plern, M. (2011). Suitable percentage of Holstein in crossbred dairy cattle in climate change situation. *Journal of Animal Veterinary Advances*, 10(7), 828–831. <https://doi.org/10.3923/javaa.2011.828.831>
- Momtmurro, N., Pacelli, C., & Borghese, A. (1995). Metabolic profiles in buffalo heifers bred in two farms with different feeding and climatic conditions. *Egyptian Journal of Animal Production*, 32, 1–12.
- Mondal, S., Mor, A., Reddy, I. J., Nandi, S., & Gupta, P. S. P. (2017). Heat stress induced alterations in prostaglandins; ionic and metabolic contents of sheep endometrial epithelial cells in vitro. *Biomedical Journal of Scientific and Technical Research*, 1(4), 1–5. <https://doi.org/10.26717/BJSTR.2017.01.000482>
- Monson, R. K., Stidham, M. A., Williams, G. J. III, Edwards, G. E., & Uribe, E. G. (1982). Temperature dependence of photosynthesis in *Agropyron smithii* Rybd: Factors affecting net CO<sub>2</sub> uptake in intact leaves and contribution from ribulose-1,5-bisphosphate carboxylase measured in vivo and in vitro. *Plant Physiology*, 69, 921–928. <https://doi.org/10.1104/pp.69.4.921>
- Morales, D., Rodríguez, P., Dell'amico, J., Nicolás, E., Torrecillas, A., & Sánchez-Blanco, M. J. (2003). High-temperature preconditioning and thermal shock imposition affects water relations, gas exchange and root hydraulic conductivity in tomato. *Biologia Plantarum*, 47, 203–220. <https://doi.org/10.1023/B:BIOP.0000007081.88966.26>
- Morimoto, R. I. (1993). Cells in stress: The transcriptional activation of heat shock genes. *Science*, 259, 1409–1410. <https://doi.org/10.1126/science.8456298>
- Morrison, S. R., & Lofgreen, G. P. (1979). Beef cattle response to air temperature. *Transactions of the American Society of Agricultural Engineers*, 22, 861–862. <https://doi.org/10.13031/2013.37759>
- Mount, L. E. (1974). The concept of thermal neutrality. In *Heat Loss from Animals* (pp. 158-165). National Academy Press.
- Murakami, Y., Tsuyama, M., Kobayashi, Y., Kodama, H., & Iba, K. (2000). Trienoic fatty acids and plant tolerance of high temperature. *Science*, 287, 476–479. <https://doi.org/10.1126/science.287.5450.476>
- Murata, N., Ishizaki-Nishizawa, O., Higashi, S., Hayashi, H., Tasaka, Y., & Nishida, I. (1992). Genetically engineered alteration in the chilling sensitivity of plants. *Nature*, 356, 710–713. <https://doi.org/10.1038/356710a0>
- Nagesh Babu, R., & Devaraj, V. R. (2008). High temperature and salt stress response in French bean (*Phaseolus vulgaris*). *Australian Journal of Crop Science*, 2, 40–48.
- Nakamura, K., Nakamura, Y., & Kataoka, N. (2022). A hypothalamomedullary network for physiological responses to environmental stresses. *Nature Reviews Neuroscience*, 23, 35–52. <https://doi.org/10.1038/s41583-021-00532-x>
- Nardone, A., Ronchi, B., Lacetera, N., Ranieri, M. S., & Bernabucci, U. (2010). Effects of climate changes on animal production and sustainability of livestock systems. *Livestock Science*, 130(1), 57–69. <https://doi.org/10.1016/j.livsci.2010.02.011>
- Oke, T. R. (1988). Street design and urban canopy layer climate. *Energy and Buildings*, 11, 103–113. [https://doi.org/10.1016/0378-7788\(88\)90049-9](https://doi.org/10.1016/0378-7788(88)90049-9)

Publication of the European Centre for Research Training and Development -UK

- Olaniyan, A., Isiguzo, C., & Hawk, M. (2021). The socioecological model as a framework for exploring factors influencing childhood immunization uptake in Lagos State, Nigeria. *BMC Public Health*, 21, 867. <https://doi.org/10.1186/s12889-021-10922-6>
- Olesen, B. W., & Brager, G. S. (2004). A better way to predict comfort: The new ASHRAE standard 55-2004. Retrieved from <https://escholarship.org/uc/item/2m34683k>
- Oswald, T. K., & Langmaid, G. R. (2022). Considering ecological determinants of youth mental health in the era of COVID-19 and the Anthropocene: A call to action from young public health professionals. *Health Promotion Journal of Australia*, 33, 324–328. <https://doi.org/10.1002/hpja.560>
- Ozrenk, E., & Inci, S. S. (2008). The effect of seasonal variation on the composition of cow milk in Van Province. *Pakistan Journal of Nutrition*, 7, 161–164. <https://doi.org/10.3923/pjn.2008.161.164>
- Padua, J. T., Darilva, R. G., Bottcher, R. W., & Hoff, S. J. (1997). Effect of high environmental temperature on weight gain and feed intake of Suffolk lambs reared in tropical environment. In *Proceedings of the 5th International Symposium* (pp. 809–815). Bloomington, Minnesota, USA.
- Palinkas, L. A., O'Donnell, M. L., Lau, W., & Wong, M. (2020). Strategies for delivering mental health services in response to global climate change: A narrative review. *International Journal of Environmental Research and Public Health*, 17, 8562. <https://doi.org/10.3390/ijerph17228562>
- Panraluk, C., & Sreshthaputra, A. (2019). Developing guidelines for thermal comfort and energy saving during the hot season of multipurpose senior centers in Thailand. *Sustainability*, 12, 170. <https://doi.org/10.3390/su12010170>
- Pareek, A., Singla, S. L., & Grover, A. (1998). Plant Hsp90 family with special reference to rice. *Journal of Biosciences*, 23, 361–367. <https://doi.org/10.1007/BF02702686>
- Parry, M. L. et al. (Eds.). (2007). *Climate change 2007: Impacts, adaptation, and vulnerability. Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press.
- Parry, M. L., Canziani, O. F., Palutikof, J. P., van der Linden, P. J., & Hanson, C. E. (1993). *Contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press.
- Paschen, F. (1894). Ueber die Emission der Gase. *Wiedmanns Annalen der Physik und Chemie*, 51, 140.
- Peng, S., Piao, S., Ciais, P., Friedlingstein, P., Oettle, C., Bréon, F.-M., Nan, H., Zhou, L., & Myneni, R. B. (2012). Surface urban heat island across 419 global big cities. *Environmental Science & Technology*, 46, 696–703. <https://doi.org/10.1021/es2036000>
- Pereira, A. M. F., Flavio, B. Jr., Evaldo, A., Titto, L., & Almeida, J. A. (2008). Effect of thermal stress on physiological parameters, feed intake and plasma thyroid hormone concentration in Alentejana, Mertolenga, Frisian, and Limousine cattle breeds. *International Journal of Biometeorology*, 52, 199–208. <https://doi.org/10.1007/s00484-007-0116-5>
- Rasheed, R., Wahid, A., Farooq, M., Hussain, I., & Basra, S. M. A. (2011). Role of proline and glycinebetaine pretreatments in improving heat tolerance of sprouting sugarcane (*Saccharum sp.*) buds. *Plant Growth Regulation*, 65, 35–45.
- Reyad, M. A., Sarker, M. A. H., Uddin, M. E., Habib, R., & Rashid, M. H. (2016). Effect of heat stress on milk production and its composition of Holstein Friesian crossbred dairy cows. *Asian Journal of Medicine and Biological Research*, 2(2), 190-195. <https://doi.org/10.3329/ajmbr.v2i2.29060>
- Rhodes, D., & Hanson, A. D. (1993). Quaternary ammonium and tertiary sulfonium compounds in higher plants. *Annual Review of Plant Physiology and Plant Molecular Biology*, 44, 357–384. <https://doi.org/10.1146/annurev.pp.44.060193.002041>



Publication of the European Centre for Research Training and Development -UK

- Rivera, C. F., Rodríguez, S. Z., Díaz de León, S. F., Bósquez, M. E., Domínguez, S. J., Chávez, F. S., Cajustes, B. J., & Pérez, F. L. (2004). Lipid peroxidation and antioxidant enzymes of refrigerated Persian limes (*Citrus latifolia* Tanaka) as influenced by a prestorage hot treatment. *Journal of Food Biochemistry*, 28(4), 305–317. <https://doi.org/10.1111/j.1745-4514.2004.tb00283.x>
- Rivera, R. M., & Hansen, P. J. (2001). Development of cultured bovine embryos after exposure to high temperatures in the physiological range. *Reproduction*, 121(1), 107-115. <https://doi.org/10.1530/rep.0.1210107>
- Roberts, W. O., Armstrong, L. E., Sawka, M. N., Yeargin, S. W., Heled, Y., & O'Connor, F. G. (2021). ACSM expert consensus statement on exertional heat illness: Recognition, management, and return to activity. *Current Sports Medicine Reports*, 20(10), 470–484. <https://doi.org/10.1249/JSR.0000000000000878>
- Rodríguez, A. B., Bodas, R., Landa, R., López-Campos, O., Mantecon, A. R., & Giraldez, F. J. (2011). Animal performance, carcass traits, and meat characteristics of Assaf and Merino × Assaf growing lambs. *Livestock Science*, 138(1-3), 13-19. <https://doi.org/10.1016/j.livsci.2011.02.004>
- Rodríguez, L. R., McKonnen, G., Wilcox, C. J., Martin, F. G., & Krienke, W. A. (1985). Effect of relative humidity and maximum and minimum temperature, pregnancy, and stage of lactation on milk composition and yield. *Journal of Dairy Science*, 68(4), 973-978. [https://doi.org/10.3168/jds.S0022-0302\(85\)81051-7](https://doi.org/10.3168/jds.S0022-0302(85)81051-7)
- Roth, Z., Meidan, R., Braw-Tal, R., & Wolfenson, D. (2000). Immediate and delayed effects of heat stress on follicular development and its association with plasma FSH and inhibin concentration in cows. *Journal of Reproduction and Fertility*, 120(1), 83-90. <https://doi.org/10.1530/jrf.0.1200083>
- Roth, Z., Meidan, R., Shaham-Albalancy, A., Braw-Tal, R., & Wolfenson, D. (2001). Delayed effect of heat stress on steroid production in medium-sized and pre-ovulatory bovine follicles. *Reproduction*, 121(5), 745-751. <https://doi.org/10.1530/rep.0.1210745>
- Rothschild, J., & Haase, E. (2023). The mental health of women and climate change: Direct neuropsychiatric impacts and associated psychological concerns. *International Journal of Gynaecology and Obstetrics*, 160(3), 405–413. <https://doi.org/10.1002/ijgo.14479>
- Rothschild, J., & Haase, E. (2023). Women's mental health and climate change Part II: Socioeconomic stresses of climate change and eco-anxiety for women and their children. *International Journal of Gynaecology and Obstetrics*, 160(3), 414–420. <https://doi.org/10.1002/ijgo.14514>
- Sage, R. F., & Sharkey, T. D. (1987). The effect of temperature on the occurrence of O<sub>2</sub> and CO<sub>2</sub> insensitive photosynthesis in field-grown plants. *Plant Physiology*, 84(3), 658–664. <https://doi.org/10.1104/pp.84.3.658>
- Sairam, R. K., & Tyagi, A. (2004). Physiology and molecular biology of salinity stress tolerance in plants. *Current Science*, 86(3), 407–421. <https://www.jstor.org/stable/24090357>
- Sakata, T., Oshino, T., Miura, S., Tomabeche, M., Tsunaga, Y., Higashitani, N., Miyazawa, Y., Takahashi, H., Watanabe, M., & Higashitani, A. (2010). Auxins reverse plant male sterility caused by high temperatures. *Proceedings of the National Academy of Sciences USA*, 107(19), 8569–8574. <https://doi.org/10.1073/pnas.0914429107>
- Sakatani, M., Balboula, A., Yamanaka, K., & Takahashi, M. (2012). Effect of summer heat environment on body temperature, estrous cycles, and blood antioxidant levels in Japanese Black cows. *Animal Science Journal*, 83(5), 394-402. <https://doi.org/10.1111/j.1740-0929.2011.00967.x>
- Scharpenseel, H. W., Schomaker, M., & Ayoub, A. (1990). *Soils on a warmer earth*. Elsevier.
- Schiermeier, Q. (2008). Water: A long dry summer. *Nature*, 452, 270–273.

Publication of the European Centre for Research Training and Development -UK

- Schöffl, F., Prandl, R., & Reindl, A. (1999). Molecular responses to heat stress. In K. Shinozaki & K. Yamaguchi-Shinozaki (Eds.), *Molecular responses to cold, drought, heat and salt stress in higher plants* (pp. 81–98). R.G. Landes Co.
- Schomaker, M., & Ayoub, A. (Eds.). (1990). *Soils on a warmer earth*. Elsevier.
- Schrader, S. M., Wise, R. R., Wacholtz, W. F., Ort, D. R., & Sharkey, T. D. (2004). Thylakoid membrane responses to moderately high leaf temperature in Pima cotton. *Plant Cell and Environment*, 27, 725–735.
- Vacca, R. A., de Pinto, M. C., Valenti, D., Passarella, S., Marra, E., & DeGara, L. (2004). Production of reactive oxygen species, alteration of cytosolic ascorbate peroxidase, and impairment of mitochondrial metabolism are early events in heat shock-induced programmed cell death in tobacco Bright-Yellow 2 cells. *Plant Physiology*, 134, 1100–1112.
- Vailshery, L. S., Jaganmohan, M., & Nagendra, H. (2013). Effect of street trees on microclimate and air pollution in a tropical city. *Urban Forestry & Urban Greening*, 12, 408–415. <https://doi.org/10.1016/j.ufug.2013.07.003>
- Van Oost, K., Govers, G., Quine, T. A., & Heckrath, G. (2004). Comment on ‘Managing soil carbon’ (I). *Science*, 305, 1567. <https://doi.org/10.1126/science.1100797>
- VanderMolen, K., Kimutis, N., & Hatchett, B. J. (2022). Recommendations for increasing the reach and effectiveness of heat risk education and warning messaging. *International Journal of Disaster Risk Reduction*, 82, 103288. <https://doi.org/10.1016/j.ijdr.2022.103288>
- Vanjonack, W. J., & Johnson, H. D. (1975). Effects of moderate heat and yield on plasma thyroxin in cattle. *Journal of Dairy Science*, 58, 507–516. [https://doi.org/10.3168/jds.S0022-0302\(75\)84446-0](https://doi.org/10.3168/jds.S0022-0302(75)84446-0)
- Várallyay, G. Y. (1994). Climate change, soil salinity and alkalinity. In M. D. A. Sounsevell & R. J. Loveland (Eds.), *Soil responses to climate change* (pp. 3–11). NATO ASI Series. Springer-Verlag.
- Velikova, V., Edreva, A., & Loreto, F. (2005). Endogenous isoprene protects *Phragmites australis* leaves against singlet oxygen. *Plant, Cell & Environment*, 28, 318–327. <https://doi.org/10.1111/j.1365-3040.2005.01292.x>
- Verbruggen, N., & Hermans, C. (2008). Proline accumulation in plants: A review. *Amino Acids*, 35, 753–759. <https://doi.org/10.1007/s00726-008-0083-4>
- Viteri, A., Puschendorf, R., Ron, S. R., Sanchez-Azofeifa, G. A., Still, C. J., & Young, B. E. (2006). Widespread amphibian extinctions from epidemic disease driven by global warming. *Nature*, 439, 161–167. <https://doi.org/10.1038/nature04364>
- Von Czemy, F. (1881). *Die Verändlichkeit des Klimas und ihre Ursachen*. Hartleben’s Verlag.
- Vu, J. C. V., Gesch, R. W., Pennanen, A. H., Allen, L. H. Jr, Boote, K. J., & Bowes, G. (2001). Soybean photosynthesis, Rubisco, and carbohydrate enzymes function at supraoptimal temperatures in elevated CO<sub>2</sub>. *Journal of Plant Physiology*, 158, 295–307. [https://doi.org/10.1016/S1161-0316\(01\)00101-0](https://doi.org/10.1016/S1161-0316(01)00101-0)